



LRV - LIGHT REFLECTANCE VALUES

Light Reflectance Value (LRV) is a measurement of the light that is reflected from a surface when illuminated by a light source. It is expressed as a number (or percentage value) of 1-100, the higher the number, the more reflective the surface. In theory an LRV of 0 is an absolute black, and 100 a perfectly reflective white - however in reality these values don't exist; a very dark black would have LRV around 5 and a very reflective white would be around 85. LRV is a number value for contrast; a measure of how much usable light a certain material will reflect.

LRV also acts as an important safety guideline as a measure of glare or reflectivity for exterior finishings. This is becoming increasingly common in urban settings where a maximum LRV for external façades on new developments is specified to minimise glare for motorists and pedestrians. In Australia. Dark, matt and/or textured surfaces absorb a lot of light and have low light reflectance values. Light, glossy and/or smooth surfaces reflect more of the light that falls on them and have higher light reflectance values. A colour with a light reflectance value of 60 (which means it reflects 60% of the light that falls on it) will reflect more light, than a colour with a light reflectance value of 30 (which means it reflects 30% of the light that falls on it).

Measuring LRV, common tests for determining LRV, BS 8493-2008 + A1-2010, specifies the use of a spherical spectrometer in the test. The spherical spectrometer allows accurate measurements from almost infinite angles of reflection and is used at no fewer than nine points across a sample of at least 450mm x 450mm.



COLOUR	SURFACE FINISH	LRV CLASSIFICATION
Almond ECO	Smooth Finish	37.2
	Exposed Finish	40.8
	Refined/Polished Finish	39.1
Ash ECO	Smooth Finish	61.2
	Exposed Finish	52.1
	Refined/Polished Finish	57.7
Auburn ECO	Smooth Finish	30.7
	Exposed Finish	34.6
	Refined/Polished Finish	33.2
Charwood ECO	Smooth Finish	20.5
	Exposed Finish	22.4
	Refined/Polished Finish	21.3
Cloudy Ash	Smooth Finish	61.3
	Exposed Finish	52.3
	Refined/Polished Finish	57.8
Dune	Smooth Finish	36.1
	Exposed Finish	39.7
	Refined/Polished Finish	38.0
Ebony ECO	Smooth Finish	28.7
	Exposed Finish	29.9
	Refined/Polished Finish	29.2
Graphite	Smooth Finish	19.0
	Exposed Finish	21.0
	Refined/Polished Finish	20.2
Limestone	Smooth Finish	50.7
	Exposed Finish	42.9
	Refined/Polished Finish	44.6
Mist ECO	Smooth Finish	55.7
	Exposed Finish	45.4
	Refined/Polished Finish	49.3
Mocca	Smooth Finish	20.7
	Exposed Finish	22.6
	Refined/Polished Finish	21.5
Pearl ECO	Smooth Finish	67.7
	Exposed Finish	64.0
	Refined/Polished Finish	65.2
Pewter ECO	Smooth Finish	34.5
	Exposed Finish	37.9
	Refined/Polished Finish	38.8
Platinum ECO	Smooth Finish	58.7
	Exposed Finish	50.7
	Refined/Polished Finish	53.8
Pontville ECO	Smooth Finish	29.7
	Exposed Finish	33.4
	Refined/Polished Finish	31.8
Pure White	Smooth Finish	69.4
	Exposed Finish	62.2
	Refined/Polished Finish	64.5
Storm Grey ECO	Smooth Finish	33.7
	Exposed Finish	34.9
	Refined/Polished Finish	35.1
Taupe	Smooth Finish	39.6
	Exposed Finish	44.0
	Refined/Polished Finish	42.6
Walnut ECO	Smooth Finish	30.1
	Exposed Finish	35.0
	Refined/Polished Finish	33.6
Warm White	Smooth Finish	63.4
	Exposed Finish	52.8
	Refined/Polished Finish	56.2
Whisper White ECO	Smooth Finish	63.3
	Exposed Finish	52.7
	Refined/Polished Finish	56.1



COLOUR	LRV CLASSIFICATION
Limewash ECO	51.8
Tuscan ECO	35.2
Red ECO	31.7
Grey ECO	35.7
White ECO	67.7
Buff ECO	38.2
Char ECO	21.5

FREECALL 1800 004 499

islandblock.com.au

Email: sales@islandblock.com.au

“No one knows Bricks, Blocks & Pavers better”

