



Island Block & Paving Pty Ltd

16525 Midlands Highway, Breadalbane, Tasmania 7300, Australia

This is to Certify that the following Product/s have been found in conformance with the Global GreenTagCERT™ Scheme Standard for the Tier and Level noted herein:

Blocks for the Future, Bricks for the Future Pavers for the Future, Freestone ECO Retaining Wall GreenRate Level A

- Green Star® 'Buildings v1.0' Rating Tools Credits:
Recognized for Credit/s: Credit 6: Responsible Structure; Credit 7: Responsible Envelope; Credit 9: Responsible Finishes;
- Green Star® 'Design & As Built v1.3' and 'Interiors v1.3' Rating Tools Credits:
Recognized for Credit/s: Sustainable Products
- Green Star® 'Performance v1.2' Rating Tool Credit:
Recognized for Credit/s: Credit 21: Procurement and Purchasing (Refurbishment Materials)
- IS® v1.2 Credit:
Recognized for Credit/s: Mat-2 Environmentally Labelled Products and Supply Chain
- IS® Design & As-Built v2.1 Credit:
Recognized for Credit/s: Rso-7 Sustainability Labelled Products and Supply Chains
- Earthcheck® Rating Tool Credit:
Recognized for Credit/s: Sustainable Materials

Licensed Sites:
Tasmania, Australia
Licence No.:
IBP:BP01:2022:GR
Licence Date:
18th October 2013
Latest Revision Date:
17th October 2023
Valid to:
18th October 2024
GreenTagCERT™ Standard:
Standard Version 4.0



David Baggs
Chief Executive Officer
Global GreenTagCERT™ Program Director



ecospecifier
**GLOBAL
 GREEN TAG®**

green product certification
 trust brands

Conditions of Licence

The conditions of licence are contained in full in the Ecospecifier Global GreenTag^{CERT™} Standard, Terms and Conditions, and Rules for the Use of the Mark Documents as sighted and/or executed by the Licensee.

In summary it is the responsibility of the licensee in particular to:

1. always comply with the relevant provisions of the GreenTag certification program;
2. make all necessary arrangements for the conduct of the future evaluation, including provision for examining documentation and access to all areas, records (including internal audit reports) and personnel for the purposes of evaluation (e.g. testing, inspection, assessment surveillance, reassessment) and resolution of complaints;
3. make claims regarding certification only in respect of the scope for which certification has been granted;
4. not use its product certification in such a manner as to bring the GreenTag into disrepute and not make any statement regarding its product certification which the certification body may consider misleading or unauthorized;
5. upon suspension or cancellation of certification, discontinue its use of all advertising matter that contains any reference thereto and returns any certification documents as required by GreenTag;
6. use certification only to indicate that products are certified as being in conformity with specified GreenTag standards;
7. endeavour to ensure that no certificate or report nor any part thereof is used in a misleading manner;
8. make comment or inclusions solely in accordance with license requirements in making reference to its product certification in communication media such as online, emails, documents, brochures or advertising;
9. Inform GreenTag of any change in the Certified product or manufacturing process that is likely to significantly affect the product's design or specification, or changes in the ownership, structure or management of the Licensee, if relevant, or any other information that indicates the product may no longer comply with the requirements of this Standard;
10. In the event of GreenTag determining changes have been made to product or supplier details and not notified to GreenTag, the Licensee will, on receipt of a GreenTag 'Notice to Rectify', immediately provide GreenTag with the required details and any fees necessary to allow recertification. Failure to do so may result in the withdrawal of the Licence. If the product Licence is withdrawn, the Licensee must, within 7 days, cease to further promulgate all product marketing, packaging, advertising or other material carrying the logo. Furthermore all material carrying the Certification Mark/s must be withdrawn within 90 days.

Revision Date	Certificate Number	Notes
2nd December 2020	IBP:BP01:2020:GR	Products renewed
27th September 2021	IBP:BP01:2020:GR	Products renewed
2nd November 2022	IBP:BP01:2022:GR	Products re-certified to GGT Standard v4.0
17th October 2023	IBP:BP01:2022:GR	Products renewed



Island Block & Paving Pty Ltd

Blocks for the Future, Bricks for the Future, Pavers for the Future, Freestone ECO retaining Wall System


Island Block & Paving's Blocks for the Future, Bricks for the Future, Pavers for the Future, Freestone Blocks for the Future are manufactured with 37.68% recycled glass aggregate, which is a by-product derived from recycled glass container bottles. The use of recycled glass in products results in reduction of cement and mined sand usage, and further reduces CO2 emissions. It also provides a cost-effective reduction in the total amount of mixed glass waste being sent to landfill. The products are available in different colours and surface finishes.

Products/Ranges:	Sustainable products for the future - Bricks, Blocks and Pavers
Product Stages Assessed:	Materials Inputs, Manufacturing, in-use
Product Type:	Bricks, Blocks, Pavers
CSI Masterformat:	TBC
Licenced Site/s:	Tasmania, Australia
Licence Number:	IBP:BP01:2022:PH
Licence Date:	14th November 2022
Valid To:	14th November 2024
Standard:	GGT International v4.0
Screening Date:	7th September 2022
PHD URL:	https://www.globalgreentag.com/getfile/12161/phd.pdf



PHD Summary	Inventory Threshold:	Inventory Method:
Percentage Assessed: 100%	100ppm Product Level	Nested Materials

- GreenTag Banned List Compliant.
- GreenTag PHD recognized by WELL * & LEED * Material Transparency & Optimization credits included below:
- Meets Green Star * 'Buildings v1.0' as Recognized for~ Credit 6: Responsible Structure; Credit 7: Responsible Envelope; Credit 9: Responsible Finishes
- Meets IWBI * WELL * v1.0 as Recognized for ~ Feature 26 (Part 1); Feature 97 (Part 1); and, meets IWBI * WELL * v2.0 as Recognized for ~ X07 (Parts 1, 3); X08 (Part 2); as a Compliant Technical Document (Audited) for ~ X07 (Part 2); X08 (Part 1).
- Meets USGBC LEED * v4.0 and v4.1 Rating Tool Credit as Recognized for MR Credit: Building Product Disclosure and Optimisation - Material Ingredients - Option 1: Material Ingredient Reporting, Option 2: International ACP - REACH Optimisation.
- Independent third party assessment for worker, user, and environmental exposure to any Carcinogens, Mutagens, Reproductive Toxicant or Endocrine Disruptors.



Declared by:
Global GreenTag
International Pty Ltd

David Baggs
CEO & Program Director
Verified compliant with:
ISO 14024 & ISO 17065

1.0 Scope

The Global GreenTag International (GGT) Product Health Declaration (PHD) has been designed to provide an additional level of service to the green product sector in facilitating an easier understanding of both the hazard and risks associated with any certified products, and is intended to indicate:

- Chemical hazards of both finished product and unique ingredients to a minimum level of 100ppm for final product throughout the product life cycle (including any VOC or other gaseous emissions);
- An assessment of exposure or risk associated with ingredient handling, product use, and disposal in relation to established mitigation and management processes;

It is not intended to assess:

- substances used or created during the manufacturing process unless they remain in the final product; or
- substances created after the product is delivered for end use (e.g., if the product unusually degrades, combusts or otherwise changes chemical composition).

GGT PHDs are only issued to products that have passed GGT Standards' certification requirements. The Level of Assessment (BronzeHEALTH, SilverHEALTH, GoldHEALTH or PlatinumHEALTH) of a PHD rating relates ONLY to a Human Health Toxicity Assessment and is declared separately and not equivalent to the overall Bronze, Silver Gold or Platinum Green Tag Certification Mark Tier Levels of LCARate.

1.2 Preparing a PHD

GGT PHDs are prepared in the format of a transparency document which utilizes Hazard Classifications from the UN Globally Harmonised System of Classification and Labelling of Chemicals (GHS). Hazard Classifications are then risk assessed with a focus on the In Use stage for an outcome of Certification. Assessments are undertaken by GGT Qualified Exemplar Global Lead Auditors and subsequently accepted for Certification by the GGT Program Director (also a Qualified Exemplar Global Lead Auditor) under the International Standard v4.0/4.1, Personal Products Standard v1.0/1.1, or Cleaning Products Standard v1.1/1.2 and above Program Rules.

1.3 External Peer Review

Every GGT PHD is independently peer-reviewed by an external Consultant Toxicologist and Member of the Australasian College of Toxicology & Risk Assessment.

2.0 Declaration of Ingredients

Where a manufacturer wishes recognition under a rating program that requires transparency of ingredients, such as LEED[®] v4.0 & v4.1, WELL[®] v1.0 & v2.0, Green Star[®], the following information is declared from the audit:



















Colour	Ingredient Hazard Disclosure
Green	Level 4 The hazard level of this ingredient indicates that the ingredient has no toxic hazard statements with no identified health effects.
Yellow	Level 3 The hazard level of this ingredient indicates that the ingredient is mildly toxic and/or has short/medium term reversible health effects.
Orange	Level 2 The hazard level of this ingredient indicates that the ingredient is moderately toxic and/or with a moderate health effects.
Red	Level 1 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects.
Black	Level 0 The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects and is banned from being detectable above trace amounts in the final product.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Colour	Risk Assessment & In Use Health Assessment Outcome
Green	No Concerns The risk assessment outcomes for the hazard level and percentage of ingredient used in the product after risk assessment is considered highly unlikely and therefore without concerns.
Yellow	Human Health Comment The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low with an unlikely potential risk.
Orange	Issue of Concern or Issue of Concern Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to high with a higher than unlikely potential for risk.
Red	Red Light Comment or Red Light Comment Minimised The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to extremely high with a moderate potential for risk.
Dark Red	Red Light Exclusion The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered medium to extremely high with a likely potential for risk.
Grey	Grey Chemical Not able to be categorised due to lack of toxicity impact information.
Black	Banned Ingredients Level 0 Hazard Level categorised chemicals such as Substances of Very High Concern in the International Standard v4.0/v4.1 and/or Petroleum, Parabens plus a wide range of additional compounds stipulated by the Personal Products Standard v1.0/1.1 and Cleaning Products Standard v1.1/1.2






















Global GreenTag International Pty Ltd (Global GreenTag) is not a medical professional organisation. Global GreenTag does not purport to provide medical advice, and makes no warranty, representation, or guarantee regarding the declaration that it provides in relation to any allergies, chemical sensitivities or any other medical condition, nor does Global GreenTag assume any liability whatsoever arising out of the application or use of any product or piece of equipment that has been chemically assessed by Global GreenTag.

The chemical assessments carried out provide transparent information peer reviewed by a consultant toxicologist regarding the chemical make-up and ingredients of certain materials and products, but such assessments are not to be taken as any form of medical assessment or health advice and are not targeted towards providing specific solutions to allergenic conditions or any other type of medical concerns.

Users must carry out their own investigations if they are concerned about specific medical conditions and the impact of certain products or ingredients in relation to specific medical concerns.

Global GreenTag takes no responsibility and is not liable in any way with respect to any medical or health issues arising from a person's use of materials or products that have been chemically assessed by Global GreenTag. Global GreenTag shall not be liable for any direct, indirect, punitive, incidental, special or consequential damages to property or life whatsoever, arising out of or connected with the use or misuse of any materials or products that have been assessed by Global GreenTag.

Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Assessment	Whole Of Life Assessment	In Use Health Assessment	Comment
Quartz Sand (Crystalline Silica)	Filler	45-55%	H372(STOT RE 1) H373(STOT RE 2) H350(Carc. 1A) H332(Acute Tox. 4)	OK				The risks associated with crystalline silica relates only to inhaled dust. The manufacturer of bricks/blocks/pavers are AS/NZS 4801: 2001 OH&S Management Systems and are hence independently certified for safe work conditions. Once the ingredients are mixed, set and installed, any risk to end-users is virtually non existent. In a workplace context, when such products are cut, drilled, abraded, polished or crushed, an approved dust mask or air filtration is required. Recycled Content: None Nanomaterials: No
6mm Recycled container glass Aggregate (Crystalline Silica)	14808-60-7	30-40%	H372(STOT RE 1) H373(STOT RE 2) H350(Carc. 1A) H332(Acute Tox. 4)	OK				The risks associated with crystalline silica relates only to inhaled dust. The manufacturer of bricks/blocks/pavers are AS/NZS 4801: 2001 OH&S Management Systems and are hence independently certified for safe work conditions. Once the ingredients are mixed, set and installed, any risk to end-users is virtually non existent. In a workplace context, when such products are cut, drilled, abraded, polished or crushed, an approved dust mask or air filtration is required. Recycled Content: Post-I Nanomaterials: No
General Purpose Cement off-white								
Portland Cement	65997-15-1	2-6%	H315(Skin Irrit. 2) H317(Skin Sens. 1B) H318(Skin Sens. 1B) H335(STOT SE 3)	OK				This substance causes serious eye damage, causes skin irritation, may cause an allergic skin reaction and may cause respiratory irritation. However, the manufacturer of bricks/blocks/pavers are AS/NZS 4801: 2001 OH&S Management Systems and are hence independently certified for safe work conditions. Once the ingredients are mixed, set and installed, any risk to end-users is virtually non existent. In a workplace context, when such products are cut, drilled, abraded, polished or crushed, an approved dust mask or air filtration is required. Recycled Content: None Nanomaterials: No
Ashes (Residues)	68131-74-8	<1%	None	OK				Recycled Content: None Nanomaterials: No
Gypsum	Preservative	<1%	None	OK				Recycled Content: None Nanomaterials: No
Limestone	1317-65-3	<1%	None	OK				Recycled Content: None Nanomaterials: No

Calcium oxide	1305-78-8	<1%	H315(Skin Irrit. 2) H318(Skin Sens. 1B) H335(STOT SE 3)	OK				<p>This substance causes serious eye damage, causes skin irritation and may cause respiratory irritation. However, the manufacturer of bricks/blocks/pavers are AS/NZS 4801: 2001 OH&S Management Systems and are hence independently certified for safe work conditions. Once the ingredients are mixed, set and installed, any risk to end-users is virtually non-existent. In a workplace context, when such products are cut, drilled, abraded, polished or crushed, an approved dust mask or air filtration is required.</p> <p>Recycled Content: None Nanomaterials: No</p>
Granulated Blast Furnace Slag	65996-69-2	<1%	None	OK				<p>Recycled Content: None Nanomaterials: No</p>
Magnesium Oxide	1309-48-4	<1%	None	OK				<p>Recycled Content: None Nanomaterials: No</p>
Iron Oxide	Pigment	<1%	None	OK				<p>Recycled Content: None Nanomaterials: No</p>
n-octyltriethoxysilane	2943-75-1	<0.1%	H315(Skin Irrit. 2)	OK				<p>Recycled Content: None Nanomaterials: No</p>
Remaining substance	Emulsion	<0.1%	None	OK				<p>Recycled Content: None Nanomaterials: No</p>
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	68081-81-2	<0.1%	None	OK				<p>Recycled Content: None Nanomaterials: No</p>